

# SAFETY DATA SHEET

Bullet-Hole Testing Kit (BTK)

Revision Date: 03.04.2016



## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	BTK	
Product Use	Bullet Hole Testing Kit	
SDS Date	March 28, 2016	
Manufacturer	Name	IDenta Corp.
	Address	120 Bethlehem Rd, Jerusalem 9342001, Israel
	Site	www.identa-corp.com
	E-mail	info@identa-corp.com
	Phone	+972-2-5872220
	Fax	+972-77-9611913

## SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture	Hazard statement	Code	Pictogram
Acute toxicity ,Oral (Category 4)	Harmful if swallowed	H302	
Skin corrosion (Category 1A)	Causes severe skin burns and eye damage	H314	
Specific target organ toxicity - single exposure (Category 3)	May cause respiratory irritation	H335	
Serious eye damage (Category 1)	Causes serious eye damage	H318	
Flammable liquids (Category 2)	Highly flammable liquid and vapour	H225	
Specific target organ toxicity - single exposure (Category 3)	May cause drowsiness or dizziness	H336	

# SAFETY DATA SHEET

Bullet-Hole Testing Kit (BTK)

Revision Date: 03.04.2016



Precautionary statement	Code
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	P303 + P361 + P353
If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor	P304 + P340 + P310
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	P305 + P351 + P338
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.	P210
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.	P261

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients of the product:

Comp. No.	Tube No.	CHEMICAL NAME	SYNONYM	CONCENTRATION	CAS #
(1).	1	Acetic acid, aqueous solution	Ethanoic acid	5%	64-19-7
(2).	2	Rhodizonic acid, disodium salt, aqueous solution	3,4,5,6-Tetraoxocyclohexene-1,2-diol disodium salt	N/A*	523-21-7
(3).	3	Ammonium hydroxide	Ammonia aqueous	5%	1336-21-6
(4).	4	1-Propanol	n-Propanol	N/A*	71-23-8
(5).	4	Dithioamide	Ethanedithioamide	N/A*	79-40-3

\* In accordance with paragraph (i) of Hazard communication 29 CFR 1910.1200, the exact percentage of composition has been withheld as a trade secret.

# SAFETY DATA SHEET

Bullet-Hole Testing Kit (BTK)

Revision Date: 03.04.2016



## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

<b>EYES</b>	Irrigate immediately. If chemicals contact the eyes, immediately wash the eyes with large amounts of water, occasionally lifting the lower and upper lids. Get medical attention immediately. Contact lenses should not be worn when working with this chemical
<b>SKIN</b>	Water wash immediately. If chemicals contact the skin, immediately wash the contaminated skin with water. If this chemicals penetrate the clothing, immediately remove the clothing and wash the skin with water. If symptoms occur after washing, get medical attention immediately
<b>INHALATION</b>	Respiratory support. If a person breathes large amounts of the chemicals, move the exposed person to fresh air at once. If breathing has stopped, perform mouth-to-mouth resuscitation. Keep the affected person warm and at rest. Get medical attention as soon as possible
<b>INGESTION</b>	Medical attention immediately. If this chemicals have been swallowed, get medical attention immediately

## SECTION 5: FIRE-FIGHTING MEASURES

<b>FLAMMABLE PROPERTIES</b>	Flammable
<b>EXPLOSION HAZARD</b>	Vapors may form explosive mixtures with air
<b>SUITABLE EXTINGUISHING MEDIA</b>	Use dry chemical powder, carbon dioxide, alcohol foam, water spray or fog
<b>UNSUITABLE EXTINGUISHING MEDIA</b>	Not available
<b>PRODUCTS OF COMBUSTION</b>	Nitric oxide, and ammonia fumes. Carbon oxides

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### ACCIDENTAL RELEASE MEASURES

#### SMALL SPILL:

Remove all sources of ignition. Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container.

#### LARGE SPILL:

Flammable, corrosive, and poisonous liquids. Remove all sources of ignition. Keep away from heat. Stop leak if without risk. Absorb with dry earth, sand or other non-combustible material. Do not touch spilled material. Prevent entry into sewers, basements or confined areas. Be careful that the product is not present at a concentration level above TLV. Check TLV on the SDS and with local authorities.

# SAFETY DATA SHEET

Bullet-Hole Testing Kit (BTK)

Revision Date: 03.04.2016



## SECTION 7: HANDLING AND STORAGE

### PRECAUTIONS FOR SAFE HANDLING:

Do not use the product if the protective plastic casing, containing the ampoules, is not sealed.  
Use the product in a well-ventilated area.  
Avoid accidental contact of the chemicals with skin and eyes. Do not ingest. Do not breathe fumes.  
If symptoms of exposure are experienced seek medical advice immediately.

### CONDITIONS FOR SAFE STORAGE:

Keep the product away from children. Protect from accidental breakage.  
Keep the product in a cool, well-ventilated area. Keep away from ignition sources and hot surfaces.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### PROTECTIVE EQUIPMENT

#### RESPIRATORY PROTECTION:

Respiratory protection is not required under normal and intended use of the product.  
Self contained breathing apparatus is required during fire fighting and spill clean up.

#### VENTILATION RESPIRATORY PROTECTION:

Room ventilation is expected to be adequate except during spills or fires.

#### PROTECTIVE GLOVES:

Required in case of exposure to chemicals or spill clean up.

#### EYE PROTECTION:

Required in case of exposure to chemicals or spill clean up.

#### GENERAL HYGIENE CONSIDERATIONS:

Handle in accordance with good hygiene and safety practice. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco. Safety shower and eye wash should be available close to work areas.

### EXPOSURE LIMITS

No.	Substance	PEL	TLV
(1).	Acetic acid 5% solution	N/A	N/A
(2).	Ammonium hydroxide 5% solution	N/A	N/A
(3).	1-Propanol	500 mg/m3 TWA	492 mg/m3 TWA

#### Annotations:

PEL	Permissible Exposure Limit, established by the Occupational Safety and Health Administration (OSHA)
TLV	Threshold Limit Value, established by the American Conference of Governmental Industrial Hygienist (ACGIH)
TWA	Time-weighted average

# SAFETY DATA SHEET

Bullet-Hole Testing Kit (BTK)

Revision Date: 03.04.2016



## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

1<sup>st</sup> tube (acetic acid, aqueous solution)

Physical state and appearance	Liquid, colorless
Upper/lower flammability or explosive limits	Not available
Odor	Vinegar like
Vapor pressure	Not available
Odor threshold	Not available
Vapor density	Not available
pH	Acidic
Relative density (H <sub>2</sub> O=1)	Not available
Melting point/freezing point;	0 <sup>o</sup> C
Initial boiling point and boiling range	100 <sup>o</sup> C
Flash point	Not available
Evaporation rate	Not available
Flammability	Not available
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Solubility	Soluble in water

2<sup>nd</sup> tube (Rhodizonic acid salt, aqueous solution)

Physical state and appearance	Liquid, colorless
Upper/lower flammability or explosive limits	Not available
Odor	Not available
Vapor pressure	Not available
Odor threshold	Not available
Vapor density	Not available
pH	Not available
Relative density (H <sub>2</sub> O=1)	1
Melting point/freezing point;	Not available
Initial boiling point and boiling range	Not available
Flash point	Not available
Evaporation rate	Not available
Flammability	Not available
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Solubility	Soluble in water

# SAFETY DATA SHEET

Bullet-Hole Testing Kit (BTK)

Revision Date: 03.04.2016



## 3<sup>rd</sup> tube (ammonium hydroxide, aqueous solution)

Physical state and appearance	Liquid, colorless
Upper/lower flammability or explosive limits	Not available
Odor	Pungent
Vapor pressure	Not available
Odor threshold	Not available
Vapor density	Not available
pH	Basic
Relative density (H <sub>2</sub> O=1)	Not available
Melting point/freezing point;	Not available
Initial boiling point and boiling range	Not available
Flash point	Not available
Evaporation rate	Not available
Flammability	Not available
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Solubility	Soluble in water

## 4<sup>th</sup> tube (1-propanol solution)

Physical state and appearance	Liquid, colorless
Upper/lower flammability or explosive limits	Not available
Odor	Alcoholic
Vapor pressure	Not available
Odor threshold	Not available
Vapor density	Not available
pH	Basic
Relative density (H <sub>2</sub> O=1)	0.8
Melting point/freezing point;	-126.2 <sup>o</sup> C
Initial boiling point and boiling range	97 <sup>o</sup> C
Flash point	Not available
Evaporation rate	Not available
Flammability	Not available
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Viscosity	Not available
Solubility	Soluble in water

# SAFETY DATA SHEET

Bullet-Hole Testing Kit (BTK)

Revision Date: 03.04.2016



## SECTION 10: STABILITY AND REACTIVITY

### STABILITY & REACTIVITY:

The product is stable under normal temperatures and pressures.

### INCOMPATIBILITIES:

Excessive heat, sparks, flames. Corrosive in presence of metals: zinc, copper, aluminum. Reactive with acids.

### HAZARDOUS DECOMPOSITION PRODUCTS FORMED UNDER FIRE CONDITIONS:

Nitric oxide, and ammonia fumes. Carbon oxides.

## SECTION 11: TOXICOLOGICAL INFORMATION

### TOXICITY:

LD50 (oral, rat) = 1870 mg/kg (1-Propanol)

<b>CARCINOGENICITY DATA</b>	Not available
<b>REPRODUCTIVE EFFECTS</b>	Not available
<b>OTHER TOXIC EFFECTS ON HUMANS</b>	Ammonium hydroxide may affect genetic material based on tests with microorganisms and animals. May cause cancer (tumorigenic) based on animal data. No human data found.

## SECTION 12: ECOLOGICAL INFORMATION

To the best of our knowledge the ecological effects of this product have not been thoroughly investigated

## SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. Small quantities present in the testing tubes may be disposed off in a domestic waste.

## SECTION 14: TRANSPORT INFORMATION

### UN NUMBER

### UN PROPER SHIPPING NAME

ADR/RID:	2924
IMDG:	2924
IATA-DGR	2924

# SAFETY DATA SHEET

Bullet-Hole Testing Kit (BTK)

Revision Date: 03.04.2016

ADR/RID:	FLAMMABLE LIQUID, CORROSIVE, N.O.S ( n-Propanol, Ammonium Hydroxide, Acetic acid)
IMDG:	FLAMMABLE LIQUID, CORROSIVE, N.O.S ( n-Propanol, Ammonium Hydroxide, Acetic acid)
IATA-DGR	FLAMMABLE LIQUID, CORROSIVE, N.O.S ( n-Propanol, Ammonium Hydroxide, Acetic acid)



## TRANSPORT HAZARD CLASS(ES)

ADR/RID:	3 (8)
IMDG:	3 (8)
IATA-DGR	3 (8)

## PACKAGING GROUP

ADR/RID:	II
IMDG:	II
IATA-DGR	II

## ENVIRONMENTAL HAZARDS

ADR/RID:	No
IMDG:	No
IATA-DGR	No

## HAZARD LABELS



**SPECIAL PRECAUTIONS FOR USER:** Not available

## Annotations:

ADR	European agreement concerning the international transit of dangerous goods, signed in Geneva on 30 September, 1957
RID	Regulations concerning the international railway transport of dangerous goods
IMDG	Provisions concerning the international maritime transport of dangerous goods (International Maritime Dangerous Goods Code)
IATA-DGR	Provisions concerning transport of dangerous goods in the international air transport (IATA Dangerous Goods Regulations)

## SECTION 15: REGULATORY INFORMATION

Not available

## SECTION 16: OTHER INFORMATION

## REFERENCES:

29 CFR Part 1910.1200 OSHA SDS Requirements.



# SAFETY DATA SHEET

Bullet-Hole Testing Kit (BTK)

Revision Date: 03.04.2016



OSHA Occupational Chemical Database  
ANSI Z400.1, SDS Standard, 2004.  
Suppliers Material Safety Data Sheets

**DISCLAIMER:**

The information provided in this document is believed to be accurate as of the date of its publication but is not warranted to be so. The Data is based on information provided by the manufacturers of the components of the product. It is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.